



1548-05

### Bijlage 3

### Literatuurlijst

## LITERATUURLIJST

- Addink, M.J. en Smeenk C. (1999). The harbour porpoise *Phocoena phocoena* in Dutch coastal waters: Analysis of stranding records for the period 1920-1994. *Lutra* 41 (1-2) 55-80.
- Airtricity (2005). EIA Greater Gabbard.
- Airtricity (2003). Greater Gabbard Offshore Windfarm scoping document.
- Alterra (2004). Baseline studies North Sea Wind Farms: Lot 5 Marine Birds in and around the future site Nearshore Windfarm (NSW).
- Baptist H.J.M., Wolf P.A. (1993). Atlas van de vogels van het Nederlands Continentaal Plat. Rijkswaterstaat Dienst Getijdewateren, Middelburg. Rapport DGW-93.013.
- Bech M., Frederiksen R., Pedersen J., Leonhard S.B. (2005). Infrauna Monitoring Horns Rev Offshore Wind Farm. Annual Status Report 2004, 64 blz.
- Beleidsbesluit Schelpdiervisserij 2005-2020. Ruimte voor een zilte oogst.
- Bern (19 september 1979). Convention on the conservation of European wildlife and natural habitats.
- Bio/consult AS (2002). Possible effects of the offshore windfarm at Vindeby on the outcome of fishing, Report to SEAS, Denmark.
- Bonn (23 juni 1979). Convention on the conservation of migratory species of wild animals.
- Camphuysen C.J., Leopold M.F. (1994). Atlas of seabirds in the southern North Sea. NIOZ, Texel. NIOZ-rapport nr. 1994-8.
- Centraal Planbureau - publicatie 57 (september 2005). 'Windenergie op de Noordzee: een maatschappelijke kosten-batenanalyse'.
- Centre for Marine and Coastal Studies, Centre for intelligent monitoring systems applied ecology research group and Econnect (juli 2003). 'A baseline assessment of electromagnetic fields generated by offshore windfarm cables'.
- COWRIE (oktober 2004). A review of offshore windfarm related underwater noise sources.
- Daan N. (2000). De Noordzee-visfauna en criteria voor het vaststellen van doelsoorten voor het natuurbeleid. Rivo IJmuiden. Rapport C031/00, 90 blz.
- Daan R., Mulder M. (2002). The macrobenthic fauna in the Dutch sector of the North Sea in 2001 and a comparison with previous data. NIOZ, Den Burg. Rapport 2002-1, 90 blz.
- Danish Hydralic Institute (November 1999). "Horns Rev Wind Power Plant - Environmental impact assessment of hydrography, Baggrundsrapporrt nr. 8".
- Danish Institute for Fisheries Research Department of Marine Fisheries (mei 2000). Effects of marine windfarms on the distribution of fish, shellfish and marine mammals in the Horns Rev area.
- Dankers N.M.J.A., Leopold M.F., Smit C.J. (2003). Vogel- en habitatrichtlijn in de Noordzee. Alterra, Wageningen. Rapport 695, 92 blz.
- Econnect (January 2005). Study on the development of the offshore grid for connection of the round two windfarms, Econnect project no.: 1312.
- E-connection (juni 2001). MER offshore winpark Q7-WP.
- EnergieNed (april 2005). Energietransitie geeft Nederland nieuwe energie.
- European Policy Seminar on Offshore Wind Power, Copenhagen (27 october 2005). Copenhagen strategy on offshore wind power deployment.

- Europese Economische Gemeenschap (EEG) (2 april 1979). EG richtlijn 79/409/EEG inzake het behoud van de vogelstand (Vogelrichtlijn), Document 379L0409.
- Europese Gemeenschap (EG) (21 mei 1992). EG richtlijn 92/43/EEG inzake de instandhouding van de natuurlijke habitats en de wilde flora en fauna (Habitatrichtlijn), Document 392L0043.
- Gill Dr A.B., Taylor H. (September 2001). 'The potential effects of electromagnetic fields generated by cabling between offshore wind turbines upon Elasmobranch Fishes', Research Project for Countryside Council for Wales by Applied Ecology Research Group.
- Gill Dr. A.B., Taylor H. (2002). The potential effects of electromagnetic fields generated by Cabling between offshore wind turbines upon elasmobranch fishes. Report to the Countryside Council for Wales (CCW Contract Science Report No 488) 60 pages.
- Greenpeace (juni 2005). WIND FORCE 12: A blueprint to achieve 12% of the world's electricity from wind power by 2020.
- Grontmij i.o. NoordzeeWind bv., Utrecht (juni 2003). "Inrichtings-milieueffectrapport NearShore Windpark".
- Haskoning (1997). Haalbaarheidsstudie NSW.
- Hoffman C.J.C.M., Verheij H.J. (1997). Scour Manual, A.A. Balkema Publications.
- Horns Rev (May 2000). Effect of marine windfarm on the distribution of fish, shellfish and marine mammals in the Horns Rev area, Baggrundsrapport nr. 24, Danish Institute for Fisheries Research.
- Horns Rev (September 2004). Effects of the Horns Reef Wind Farm on harbour porpoises. - *Interim report to Elsam Engineering A/S for the harbour porpoise monitoring program 2004*, National Environmental Research Institute, DDH Consulting A/S.
- Horns Rev (July 2005). Harbour Porpoises on Horns Reef - Effects of the Horns Reef Wind Farm. Annual Status Report 2004 to Elsam Engineering A/S. National Environmental Research Institute, DHI, DDH Consulting A/S.
- Horns Rev (May 2005). Hard Bottom Substrate Monitoring - Horns Rev Offshore Wind Farm. Annual Status Report 2004, Bio/consult A/S.
- Horns Rev (April 2005). Infauna Monitoring. Horns Rev Offshore Wind Farm. Annual Status Report 2004, Bio/consult A/S.
- Horns Rev (September 2004). Review report 2003 - The Danish Offshore Wind Farm Demonstration Project Horns Rev and Nysted Offshore Wind Farm. Environmental impact assessment and monitoring, Elsam Engineering A/S, Energi E2 A/S.
- Horns Rev (July 2004). Test of prototype GPS/GSM-transmitter on harbour seals in the Sealarium, Esbjerg, Fisheries and Maritime Museum, National Environmental Research Institute.
- Horns Rev (April 2004). Use of the North Sea by Harbour Seal with special emphasis on the Horns Reef area. Test of prototype GPS/GSM-transmitter on harbour seals in the Sealarium, Esbjerg. Annual Status Report for 2003, Fisheries and Maritime Museum/National Environmental Research Institute, Esbjerg.
- Hvilsted C.B., Brünner L., Knudsen F.R. (2005). Hydroacoustic Monitoring of Fish Communities in Offshore Wind Farms. Annual Report 2004, Horns Rev Offshore Wind Farm, 33 blz.
- Jensen H., Kristensen P.S., Hoffmann E. (2004). Sandeels in the wind farm area at Horns Reef. Report to ELSAM, August 2004. Danish Institute for Fisheries Research, Charlottenlund. 26 blz.

- Kamerstuk 24611, 1995-1996, nota risiconormering vervoer gevaarlijke stoffen
- Kamerstuk 24611; vergaderjaar 1995-1996, Risico-normering vervoer gevaarlijke stoffen
- KEMA (2003). Aansluiting van 6.000 MW offshore windvermogen op het Nederlandse elektriciteitsnet'.
- KEMA, Arnhem (6 september 2005). Connect 6000 MW-II: Elektrische infrastructuur op zee.
- Krijgsveld et al. (2005). Baseline studies North Sea wind farms: fluxes, flight paths and altitudes of flying birds 2003-2004.
- Leonhard S.B., Pedersen J. (2005). Hard Bottom Substrate Monitoring Horns Rev Offshore Wind Farm. Annual status report 2004, 79 blz.
- Leopold M.F., Camphuysen C.J., Van Lieshout S.M.J., Ter Braak C.J.F., Dijkman E.M. (2004). Baseline studies North Sea Wind Farms: Lot 5 Marine Birds in and around the future site Nearshore Windfarm (NSW). Alterra Wageningen. Rapport 1047, 198 blz.
- Lindeboom H.J. (2000). De ecologische gevolgen van gebruiksfuncties op macrofauna. In: Macrobenthos van het NCP – Rapport Ecosysteemdelen Noordzee (MSS Lavaleye, HJ Lindeboom, MJN Bergman), pagina 43-57.
- Lindeboom H., Geurts van Kessel J. en Berkenbosch L., Gebieden met bijzondere ecologische waarden op het Nederlands Continentaal Plat, RIKZ/Alterra, april 2005 + literatuurverwijzingen hoofdstuk 1, 2, 3 (in voetnoten).
- MARIN (april 2006). Veiligheidsstudie Offshore Windpark "West Rijn".
- MARIN, Veiligheidsstudie offshore windpark West Rijn, rapportnummer 20232.620, 2006 Kamerstuk 24611, vergaderjaar 1995-1996, Risiconormering vervoer gevaarlijke stoffen.
- Matthäus Dr. W., German Scientific Commission for Marine Research, working group: Sea cable Germany-Sweden (juni 1995). 'Ecological effects and technical aspects of the Sea cable'.
- McKenzie-Maxon C. (2000), "Offshore Wind Turbine Construction, Offshore Pile-Driving Underwater and Above Water Noise Measurement and Analysis.", Rep.to: SEAS Distribution A.m.b.A, Slagterivej 25, 4690 Haslev, Danmark, Tec. Rep.00.877.
- Ministerie van Economische Zaken (juli 2004). Connect 6000 MW, Eindrapportage.
- Ministerie van EZ (November 2005), Connect II definitief rapport.
- Ministerie van EZ (juli 2005). Energierapport 2005: nu voor later.
- Ministerie van VROM (januari 2006), Nota Ruimte.
- Ministeries V&W, LNV, EZ en VROM (juli 2005), Integraal Beheersplan Noordzee 2015 (IBN2015).
- Nedwell Dr J., Howell Mr D., COWRIE (Oct 2004). 'A review of offshore windfarm related underwater noise sources'.
- Nedwell Dr J., Howell Mr D., COWRIE (Oct 2004). A review of offshore windfarm related underwater noise sources.
- NMP 2006. zie <http://www.mnp.nl/mnc/i-nl-1247.html>.
- OSPAR-verdrag (1992). Verdrag van Oslo-Parijs.
- Phase to Phase B.V. (5 april 2006), Belastbaarheid van kabels, rapportnr. 06-056pmo.
- Project organisation MEP NSW (February 2006). Overall report baseline studies Near Shore Wind Farm (NSW), Environmental aspects and recommendations for effect monitoring.
- Provincie Zuid Holland (1998). Ecologische verbindingszones in Zuid Holland.
- Raad voor Verkeer en Waterstaat (November 2005), Investeren in de Noordzee.

- RAMBØLL (juli 2005), Dutch Offshore Wind Farm Development Conceptual Foundation Design.
- Ramsar (1971), Convention on wetlands.
- Richardson et al. (1995), Marine mammals and noise, San Diego: Academic Press.
- RIKZ (Royal Haskoning) (augustus 2004), Baseline studies windfarm for demersal fish.
- RIKZ (april 2005). Gebieden met bijzondere ecologische waarden op het Nederlands Continentaal Plat.
- Rio de Janeiro (5 juni 1992). Convention on Biological Diversity.
- RIVO (juni 2004), Base line studies North Sea wind farms: Final report pelagic fish.
- Royal Haskoning i.o. BritNed Development Limited, Nijmegen (augustus 2005), "MER, SMB, Habitattoets BritNed-verbinding".
- Royal Haskoning (14 september 2004), Eindrapportage Connect 6.000 MW - Aanlanding elektrische infrastructuur offshore windparken.
- SenterNovem (2004), Protocol Monitoring Duurzame Energie.
- Stichting de Noordzee et.al. (September 2005), Frissewind 2 Visie van de natuur- en milieuorganisaties op de ontwikkeling van windturbineparken offshore.
- Stone C.J. (2003). Marine mammal observations during seismic surveys in 2000, JNCC Rapport 322, 89 blz.
- Tak C. van der (november 2001), Effecten van ruimteclaims in de Noordzee op de scheepvaart, MARIN, nr 16498.620/2.
- Tak C. van der, Jong J.H. de (2004), Safety Management Assessment Ranking Tool (SMART), 8<sup>th</sup> International Symposium on Vessel Traffic Services 1996
- TenneT, project Randstad380.
- Tougaard J., et al. (2003), "Short-term effects of the construction of wind turbines on harbour porpoises at Horns Reef.", Tech. Rep. HME/362-02662, to: TechWise A/S., Hedeselskabet, Roskilde.
- UNCLOS (1982). United Nations Convention on the Law of the Sea (UNCLOS), Montego Bay, Jamaica, 1982, Tractatenblad 1984, nr. 55.
- Van Oord ACZ B.V. Engineering Department (januari 2003), Verschillende DOWEC studies, (<http://www.ecn.nl/wind/other/dowec.html>)
- Veen H. van der, University of Twente, Enschede (August 2002). "Large-scale morphological effects of offshore windmill parks".
- Vertegaal C.T.M. (2003). Preliminary Study into Bird Research Methods for the MEP-NSW. RIKZ Den Haag.
- Vestas (maart 2005), Life cycle assessment of offshore and onshore sited wind power plants based on Vestas V90-3.0 MW turbines.
- Wursig B., et al (2000), "Development of an air bubble curtain to reduce underwater noise of percussive piling.", Marine Environmental Research, vol. 49, pp. 79-93.